

Serving Box Butte, Dawes, Sheridan and Sioux Counties

430 East Second Street Chadron, Nebraska 69337

Phone 308.432.6190

www.unwnrd.org

Fax 308.432.6187



Crop Water Use Report for the week of July 20th 2020.

This is Tricia Goes with the UNWNRD and this is the Crop Water Use Report for the week of July 20th 2020.

Over the past week, wheat used 0.19 inches.
Expected use by wheat for this week is 0.20 inches.

Over the past week, corn used 1.92 inches.
Expected use by corn for this week is 2.02 inches.

In the past week, beets used 1.39 inches.
Expected use by beets for this week is 1.46 inches.

Over the past week, potatoes used 1.62 inches.
Expected use by potatoes for this week is 1.7 inches.

Over the past week, dry beans used 0.91 inches.
Expected use by dry beans for this week is 0.96 inches.

Over the past week, soybeans used 1.71 inches.
Expected use by soybeans for this week is 1.8 inches.

Over the past week, sunflowers used 0.19 inches.
Expected use by sunflowers for this week is 0.20 inches.

Over the past week, alfalfa used 1.9 inches.
Expected use by alfalfa for this week is 2.0 inches.

In past week, actively growing lawns used 2.0 inches.
Expected use by actively growing lawns for this week is 2.1 inches.

In the past week average ET gage readings were 1.9 inches.

The average rainfall for the district was 0.97 inches.

The weather forecast for the next week shows highs being in the high 90's and lows in the 60's. It will be mostly sunny this week with a chance of scattered thunderstorms.

In the last week soil moisture monitoring station 1 showed 73% water available at 12", 70% water available at 24", and 77% water available at 36". The producer did irrigate. Remember this is in a **Sandy Loam** soil type with **Corn** planted and will vary depending on site specific; weather, irrigation management, topography, management practices, crop, and soil type.

In the last week soil moisture monitoring station 2 showed 71% water available at 12", 43% water available at 24", and 21% water available at 36". The producer did irrigate. Remember this is in a **Loam** soil type with **Corn** planted and will vary depending on site specific; weather, irrigation management, topography, management practices, crop, and soil type.

The crop water use report is completed using the average growth stage for each crop and ET gage reading from across the district. To find the conversion your specific crop growth stage visit <https://nawmn.unl.edu/GrowthStageData>

For more information or to inquire about ET gages or soil moisture monitoring equipment, please contact Tricia Goes at the Upper Niobrara White Natural Resources District at 308.432.6190 or visit our website at www.unwnrd.org. We are committed to helping Nebraskans conserve and protect groundwater.

CORN

ET		V12	V14	V16
Subarea I	Used	2.02	2.32	2.53
	Projected	2.11	2.42	2.64
Subarea II&VI	Used	1.67	1.92	2.09
	Projected	1.76	2.02	2.2
Subarea III	Used	1.67	1.92	2.09
	Projected	1.76	2.02	2.2
Subarea IV	Used	1.41	1.62	1.76
	Projected	1.5	1.72	1.87
Subarea V	Used	1.67	1.92	2.09
	Projected	1.76	2.02	2.2

SOYBEANS

ET		R1	R2	R3
Subarea I	Used	2.07	2.3	2.53
	Projected	2.16	2.4	2.64
Subarea II&VI	Used	1.71	1.9	2.09
	Projected	1.8	2	2.2
Subarea III	Used	1.71	1.9	2.09
	Projected	1.8	2	2.2
Subarea IV	Used	1.44	1.6	1.76
	Projected	1.53	1.7	1.87
Subarea V	Used	1.71	1.9	2.09
	Projected	1.8	2	2.2

WHEAT

ET	Mature			
Subarea I	Used	0.23		
	Projected	0.24		
Subarea II&VI	Used	0.19		
	Projected	0.2		
Subarea III	Used	0.19		
	Projected	0.2		
Subarea IV	Used	0.16		
	Projected	0.17		
Subarea V	Used	0.19		
	Projected	0.2		

SUNFLOWERS

ET				
Subarea I	Used			
	Projected			
Subarea II&VI	Used			
	Projected			
Subarea III	Used			
	Projected			
Subarea IV	Used			
	Projected			
Subarea V	Used			
	Projected			

SUGAR BEETS

ET	Vegetative		Bud Formation	
Subarea I	Used	0.23	2.3	
	Projected	0.24	2.4	
Subarea II&VI	Used	0.19	1.9	
	Projected	0.2	2	
Subarea III	Used	0.19	1.9	
	Projected	0.2	2	
Subarea IV	Used	0.16	1.6	
	Projected	0.17	1.7	
Subarea V	Used	0.19	1.9	
	Projected	0.2	2	

POTATOES

ET		Tuberization	Tuber Bulk	
Subarea I	Used	2.09	1.87	
	Projected	2.09	1.96	
Subarea II&VI	Used	1.73	1.62	
	Projected	1.82	1.7	
Subarea III	Used	1.73	1.62	
	Projected	1.82	1.7	
Subarea IV	Used	1.46	1.36	
	Projected	1.55	1.45	
Subarea V	Used	1.73	1.62	
	Projected	1.82	1.7	

DRY BEANS

ET		50%-80% Cover	80%-Full	
Subarea I	Used	1.1	1.86	
	Projected	1.15	1.94	
Subarea II&VI	Used	0.91	1.54	
	Projected	0.96	1.62	
Subarea III	Used	0.91	1.54	
	Projected	0.96	1.62	
Subarea IV	Used	0.77	1.3	
	Projected	0.82	1.38	
Subarea V	Used	0.91	1.54	
	Projected	0.96	1.62	

ALFALFA

ET				
Subarea I	Used	2.3		
	Projected	2.4		
Subarea II&VI	Used	1.9		
	Projected	2		
Subarea III	Used	1.9		
	Projected	2		
Subarea IV	Used	1.6		
	Projected	1.7		
Subarea V	Used	1.9		
	Projected	2		

GRASS

ET

Subarea I	Used	2		
	Projected	2.1		
Subarea II&VI	Used	2		
	Projected	2.1		
Subarea III	Used	2		
	Projected	2.1		
Subarea IV	Used	2		
	Projected	2.1		
Subarea V	Used	2		
	Projected	2.1		

UNWNRD Subarea Map

