Serving Box Butte, Dawes, Sheridan and Sioux Counties

430 East Second Street Chadron, Nebraska 69337

Phone 308.432.6190

www.unwnrd.org

Fax 308.432.6187



Crop Water Use Report for the week of June 20th, 2022.

This is Erin Lee with the UNWNRD and this is the Crop Water Use Report for the week of June 20th, 2022.

Over the past week, wheat used 2.20 inches. Expected use by wheat for this week is 2.31 inches.

Over the past week, corn used 0.36 inches. Expected use by corn for this week is 0.38 inches.

Over the past week, beets used 0.20 inches. Expected use by beets for this week is 0.21 inches.

Over the past week, potatoes used 0.20 inches. Expected use by potatoes for this week is 0.21 inches.

Over the past week, dry beans used 0.12 inches. Expected use by dry beans for this week is 0.13 inches.

Over the past week, soybeans used 0.42 inches. Expected use by soybeans for this week is 0.44 inches.

Over the past week, sunflowers used 0.20 inches. Expected use by sunflowers for this week is 0.21 inches.

Over the past week, alfalfa used 2.00 inches. Expected use by alfalfa for this week is 2.10 inches.

Over the past week, actively growing lawns used 1.60 inches. Expected use by actively growing lawns for this week 1.70 inches.

Average ET gauge readings were 2.02 inches.

The average rainfall for the district was 0.16 inches.

The weather forecast for the next week shows highs in the low 80s and mid-90s, and lows in the 50s and 60s. It will be not and dry throughout the week with a slight chance of showers and thunderstorms over the weekend.

In the last week, soil moisture monitoring station 1 showed 70% water available at 12", 72% water available at 24", and 77% water available at 36". The producer did irrigate. Remember this is in a **Sandy Loam** soil type with **Corn** planted and will vary depending on site, weather, irrigation management, topography, crop, and soil type.

In the last week, soil moisture monitoring station 2 showed 11.9% water available at 8", 29.2% water available at 18", and 21.0% water available at 36". The producer did not irrigate. Remember this is in a **Loam** soil type with **Wheat** planted and will vary depending on site, weather, irrigation management, topography, crop, and soil type.

The crop water use report is completed using the average growth stage for each crop and ET gauge reading from across the district. To find the conversion for your specific crop growth stage, visit https://nawmn.unl.edu/GrowthStageData.

For more information or to inquire about ET gauges or soil moisture monitoring equipment, please contact Erin Lee at the Upper Niobrara White Natural Resources District at 308.432.6190 or visit our website at www.unwnrd.org. We are committed to helping Nebraskans conserve and protect groundwater.

CORN

ET		V2	V4	
Subarea I	Used	0.21	0.38	
	Projected	0.22	0.4	
Subarea II&VI	Used	0.19	0.34	
	Projected	0.2	0.36	
Subarea III	Used	0.18	0.32	
	Projected	0.19	0.34	
Subarea IV	Used	0.18	0.32	
	Projected	0.19	0.34	
Subarea V	Used	0.26	0.47	
	Projected	0.27	0.49	

SOYBEANS

ET		VC	V1	
Subarea I	Used	0.21	0.42	
	Projected	0.22	0.44	
Subarea II&VI	Used	0.19	0.38	
	Projected	0.2	0.4	
Subarea III	Used	0.18	0.36	
	Projected	0.19	0.38	
Subarea IV	Used	0.18	0.36	
	Projected	0.19	0.38	
Subarea V	Used	0.26	0.52	
	Projected	0.27	0.54	

SUNFLOWERS

ET	Early Vegetative			
Subarea I	Used	0.21		
	Projected	0.23		
Subarea II&VI	Used	0.19		
	Projected	0.21		
Subarea III	Used	0.18		
	Projected	0.2		
Subarea IV	Used	0.18		
	Projected	0.2		
Subarea V	Used	0.26		
	Projected	0.28		

WHEAT

ET		Jointing	Boot	Heading
Subarea I	Used	2.16	2.31	2.31
	Projected	2.27	2.42	2.42
Subarea II&VI	Used	1.96	2.09	2.09
	Projected	2.06	2.2	2.2
Subarea III	Used	1.85	1.98	1.98
	Projected	1.96	2.09	2.09
Subarea IV	Used	1.85	1.98	1.98
	Projected	1.96	2.09	2.09
Subarea V	Used	2.68	2.86	2.86
	Projected	2.78	2.97	2.97

SUGAR BEETS

ET		Emergence	10-30% Cov	er
Subarea I	Used	0.21	0.29	
	Projected	0.22	0.31	
Subarea II&VI	Used	0.19	0.27	
	Projected	0.2	0.28	
Subarea III	Used	0.18	0.25	
	Projected	0.19	0.27	
Subarea IV	Used	0.18	0.25	
	Projected	0.19	0.27	
Subarea V	Used	0.26	0.36	
	Projected	0.27	0.38	· · · · · · · · · · · · · · · · · · ·

POTATOES

ET		Emergence	Early Vegeta	ative
Subarea I	Used	0.21	0.27	
	Projected	0.22	0.29	
Subarea II&VI	Used	0.19	0.25	
	Projected	0.2	0.26	
Subarea III	Used	0.18	0.23	
	Projected	0.19	0.25	
Subarea IV	Used	0.18	0.23	
	Projected	0.19	0.25	
Subarea V	Used	0.26	0.34	
	Projected	0.27	0.35	

DRY BEANS

ET		Emergence	Cover 10-50	%
Subarea I	Used	0.13	0.13	
	Projected	0.13	0.13	
Subarea II&VI	Used	0.11	0.11	
	Projected	0.12	0.12	
Subarea III	Used	0.11	0.11	
	Projected	0.11	0.11	
Subarea IV	Used	0.11	0.11	
	Projected	0.11	0.11	
Subarea V	Used	0.16	0.16	
	Projected	0.16	0.16	

<u>ALFALFA</u>

Used	2.1	
Projected	2.2	
Used	1.9	
Projected	2	
Used	1.8	
Projected	1.9	
Used	1.8	
Projected	1.9	
Used	2.6	
Projected	2.7	
	Projected Used Projected Used Projected Used Used Used Used	Projected 2.2 Used 1.9 Projected 2 Used 1.8 Projected 1.9 Used 1.8 Projected 1.9 Used 2.6

<u>GRASS</u>

ET			
Subarea I	Used	1.6	
	Projected	1.7	
Subarea II&VI	Used	1.6	
	Projected	1.7	
Subarea III	Used	1.6	
	Projected	1.7	
Subarea IV	Used	1.6	
	Projected	1.7	
Subarea V	Used	1.6	
	Projected	1.7	

UNWNRD Subarea Map

